Technical Datasheet



# SM-21

## Special brush solvent

### Description

SM-21 is a specially formulated solvent blend of aliphatic and aromatic hydrocarbons.

#### **Fields of application**

Specifically designed for thinning PRIMER ACRYL-S acrylic primer. Suitable for thinning varnishes or solvent-based enamel paints to be applied by brush or roller. Also effective for cleaning application tools.

#### **Technical data**

Color: clear / colorless

Density: 0.77 ± 0.02 kg/l

#### **Directions for use**

Before using SM-21, check the recommended thinning ratio of the product to be used. Then, add the required amount of SM-21 and stir until you get a homogeneous consistency.

#### Consumption

Consumption varies depending on the nature of the application.

#### Packaging

0.375 I, 0.75 I & 4 I containers.

#### Shelf life – Storage

36 months from production date, in original, sealed containers, stored at temperatures above 5°C and protected from high temperatures (<+30°C).

#### Remarks

- Ensure adequate ventilation when applying SM-21 indoors.
- Keep away from sources of ignition during application No smoking.
- Please consult the directions for safe use and precautions written on the packaging before use.
- For further information, please refer to the Material Safety Data Sheet.

J M Vassallo Vibro Steel Limited, Vibro Complex, Mdina Road, Zebbug ZBG 9019, Malta

