

# iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0

The multifunctional warming drawer is perfect for preheating crockery and for keeping foods warm.

- ✓ push&pull No-handle drawer that's easy to open and close.
- ✓ The multifunctional warming drawer admits a regulation from 30°-80°C.
- ✓ The 14 cm high multifunctional warming drawer is ideally combined with a 45 cm compact appliance.



#### ncluded accessories

1 x Anti-slip mat

#### Feature

## **Technical Data**

Built-in / Free-standing : Built-in Color / Material Front : Black Maximum number of plates : 14 Maximum number of espresso cups : 64 Dimensions : 140 x 594 x 540 mm

Dimensions of the packed product (HxWxD) :  $210 \times 660 \times 660$  mm Min. required niche size for installation (HxWxD) :  $140 \times 560 \times 550$ 

mm

EAN code: 4242003803844 Fuse protection: 6 A Voltage: 220-240 V Frequency: 60; 50 Hz

Plug type : Gardy plug w/ earthing Included accessories : 1 x Anti-slip mat





# iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0

#### Feature:

#### Design:

• stainless steel cavity

### Comfort:

- Rotary Control
- User-friendly electronics: extremely
- easy and comfortable operation
- Cavity volume: 23 I
- Loading up to 15 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 14 PC
- 4 functions: keeping drinks and food warm, pre-warming of tableware, yeast dough proofing, thawing of delicate foods
- push&pull opening without handle

### Accessory:

• 1 x Anti-slip mat

## **Technical Information**

- Length of mains cable: 150 cm
- Total connected load electric: 0.4 KW
- Nominal voltage: 220 240 V


#### **Dimensions:**

- Appliance dimension (HxWxD): 140 mm x 594 mm x 540 mm
- Niche dimension (HxWxD): 140 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"



# iQ500, Built-in warming drawer, 60 x 14 cm, Black BI510CNR0

#### Dimensioned drawings



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer.

An intermediate floor is not required.

## measurements in mm

